TENDER FOR THE PROPOSED SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF FIRE EXTINGUISHERS AT PAN INDIA

Tender shall reach to:-

Sr.Vice President GIC Housing Finance Ltd. National Insurance Building,. H.O..6TH Floor, 14 J.Tata Road, Churchgate, Mumbai.

Date of submission of Tender will be on 09 / 05 / 2025 before 3.00 P.M in the Tender Box

...LETTER OF INVITATION...

To,

Dear Sir,

 ${\bf Sub}$: TENDER FOR THE PROPOSED SUPPLY , INSTALLATION ,TESTING AND COMMSSIONING OF FIRE EXTINGUISHERS AT PAN INDIA

On behalf of the Company we herewith request you to please quote the competitive rates for the above work. Your tender shall reach to:-

Sr.Vice President GIC Housing Finance Ltd. National Insurance Building,. H.O..6TH Floor, 14 J.Tata Road, Churchgate, Mumbai.

Date of submission of Tender will be on 09 / 05 / 2025 before 3.00 P.M in the Tender Box

The Company is not bound to accept the lowest or any tender and reserves the right to accept any tender either in full & in part or reject all the tenders without giving any reason. We are enclosing herewith the tender for your perusal. You may please quote your rates on verifying the SITE CONDITIONS ETC.

The Entire job to be commence immediately after issue of the work order & to be completed within **3 WEEKS** ONLY **(THREE WEEKS**) from the date of work order.

...2/-

DETAILS OF JOB WORK SCHEDULE IS AS UNDER:

1. EMPLOYER : GIC HOUSING FINANCE LTD

2. WORK : SUPPLY INSTALLATION, TESTING AND COMMSSIONING OF

FIRE EXTINGUISHERS

3. LOCATION : AS PER ATTACHED SHEET (VARIOUS BRANCH OFFICES AT PAN INDIA)

4. RETENTION AMOUNT : 10 % From Final bill after virtual completion period

5. PAYMENT TERMS : Payment will be made after completion of work

5. COMPLETION PERIOD: THREE WEEKS ONLY AFTER ISSUE OF WORK ORDER

6. PENALTY : Rs.1000/- PER DAY.

7. DEFECTS LIABILTY

PERIOD : ONE YEAR FROM THE DATE OF COMPLETION

8 Warranty : 6 years from the date of completion with the product no opex until unless

we are using Fire extinguisher.

9 TRAINING : Provide mock training to each location on the digital platform.

The rates mentioned in the tender are Inclusive of transport charges &Toll Charges Local Charges ,Excise Duty OR other additional charges if any as applicable etc. and shall remain firm till the entire completion of the work, no escalation in price will be payable for what -so ever reason.

COMPANY RESERVES THE RIGHT TO ACCEPT ANY , IN PART OR IN FULL OR REJECT ALL TENDERS WITHOUT ASSIGNING ANY REASON THEREOF.

Tender notice shall form the part of the contract.

Thanking you

Yours faithfully,

Encl: as above.

: 3 : Seal & Signature of the contractor

: CONTRACTOR' S LET	TER:
Date:	
Dear Sir,	
Sub: TENDER FOR INSTALLATION ,TESTING AND CONAT PAN INDIA	MMSSIONING OF FIRE EXTINGUISHERS
This has reference to the invitation for the tend carry out the work as contractors and offer her the rates mentioned in the schedule of quantiverifying the site conditions.	ewith to execute the work under contract at
I/We have examined, studied and read all the also read all the tender papers and hereby agreenclose D.D. of Rs. 5900/- (Rupees Five Thousand Twenty Nine thousand five hundred only) as Secur CO.LTD. payable at Mumbai only.	ee to carry out to work accordingly . We also d Nine Hundred only) And Rs .29500/- (Rupees
I /We also assure you and agree to carry out execute ONLY from the date of commencement of work. Further after issue of work order.	
Thanking you & assuring you of our best services.	
Yours faithfully ,	
Seal & Signature of the contractor.	Seal & Address
Date. :4:	

: TECHNICAL BID :

FOLLOWING FORMAT TO BE FILLED UP, SIGNED BY THE **AUTHORIZED SIGNATORY** For Supply ,Testing And commissioning of Fire Extinguishers at PAN INDIA ALONG WITH **Tender Fee RS.5900/-(include GST (Non Refundable)** and **Security Deposit of Rs.29500/-(Include GST)** and To be deposited at the office of Sr.Vice President GIC Housing Finance Ltd. National Insurance Building,. H.O..6TH Floor, Churchgate,Mumbai.

<u>VIMP Note</u> Registered MSME Contractors are exempted for Tender Fee & Security Deposit And are requested to enclose MSME registration certificate along with Tender

The intending contractors should submit the following details in the technical bid duly contained the following

- 1. Name of the organization:
- 2. Address of the Office with Tel / Email / Fax
- 3. Year of establishment:
- 4. Status of firm (whether company / firm/ Proprietary
- Copy of Permanent Account No (PAN):
 And copy of balance sheet for the last 3 years
 Including IT Return verification form duly signed with e-Filing Acknowledgement Number.
- Copy of Registration with GST No. with latest Paid challans since April 2020 (Copy to be enclosed)
- 7. Average Annual Financial Turn over. Balance sheet duly certified by the Chartered Accountant shall be submitted for the last Three Financial years ending 31st March of the previous year. The turn over should be at least 80% of the estimated cost of the Proposed Project.
- 8. Name & address of Bankers:
- 9. Workshop / Go down address with its shop & establishment certificate on owner's name Therefore Min.1000 Sft area of workshop/ Godown is must . This to be noted)
- : 6: Seal & Signature of the contractor

10) <u>SUCCESSFULCOMPLETION CERTIFICATE</u> of similar works from the client shall be submitted. Along with the Tender Contractor should carried out similar type of works of Supply ,Installation ,Testing ,Commissioning of Fire Extinguishers at PAN INDIA for Nationalized Banks / Financial Institution / PSU or its substitutes AT PAN INDIA

The works executed during last 3 years ending last day of month previous to the one in which applications are invited should be either of the following.

DEFINITION OF "SIMILAR WORK" means Supply ,Installation, Testing and Commissioning of Fire Extinguishers AT PAN INDIA

- 11) Latest Workman's Insurance Policy Number with copy thereof
- 12). Details of projects in hand with names of the clients, address & phone nos.
- 13) Any false information furnished by the contractor shall lead to the forfeiture of the contract.

Note:

- 1) Submit the relevant papers in order
- 2) Please ensure that all relevant papers are attached separately along with this format
- 3) Incomplete format will be rejected.
- 4) Contractor will be liable for Rejection /Disqualification / Termination of the contract if found having given the false information at any stage of selection / execution of work etc. Company reserves the right to reject any contractor without giving any reason.
- 5.) Any concealment of fact or misrepresentation will make the Technical Bid VOID.

<u>VIIP</u>

- 6) Before commencement of the work the following undertaking to be submitted by the contractor on letterhead (**Self Declaration of bidder**)
- 7) VIMP: <u>Technical Bid to be submitted with Completion Certificate of Similar Nature only from the Clients And Not the work orders .This please be noted.</u>
- :7: Seal & Signature of the contractor

: TECHNICAL DATA SHEET:

	TECHNICAL SPECIFICATIONS	
	ABC TYPE (STORED PRESSURE)	
	FIRE EXISTINGUISHER	
Α	CAPACITY	2 KG
^	OAI AOITT	2110
В	Class of Fire	A,B,C & E
С	Extinguisher Brands	a) Ceasefire Industries Pvt. Ltd.b) Safex Fire Services Ltd.c) Safe guard Industries Pvt. Ltd.
	Fire Extinguisher to be manufactured	As per IS 15683
D	Chemical Charge	To the
	Propellant	Nitrogen
	Charge	ABC MAP 90 Based Dry Powder
E	Material Specification with construction Details	
	Siphon tube	CPVC /Aluminum Fitted with valve
	Cylinder body	Mild Steel
	Control valve	Brass
	Control valve handle	a) MS (Powder coated Black /Red)
	Control valve	b) Brass ,Squeeze Grip Type
	Dome & Dish	c) Convex
	Discharge Fittings	d) Metallic /ABS Nozzle fitted to valve
	Construction valve	Squeeze grip type having matching threads of Neck ring.
	Neck Ring	Neck ring is welded to top of the body
	Siphon tube /Hose & Seal	To Be Provided

	TECHNICAL SPECIFICATIONS ABC TYPE (STORED PRESSURE) FIRE EXISTINGUSER	
Α	CAPACITY	4 KG
В	Class of Fire	A,B,C & E
С	E Extinguisher Brands	a) Ceasefire Industries Pvt. Ltd. b) Safex Fire Services Ltd. c) Safe guard Industries Pvt. Ltd.
	Fire Extinguisher to be manufactured	As per IS 15683
D	Chemical Charge	
	Propellant	Nitrogen
	Charge	ABC MAP 90 Based Dry Powder
E	Material Specification with construction Detail	ils
	Siphon tube	CPVC /Aluminum Fitted with valve
	Cylinder body	Mild Steel
	Control valve	Brass
	Control valve handle	a) MS (Powder coated Black /Red)
	Control valve	b) Brass ,Squeeze Grip Type
	Dome & Dish	c) Convex
	Discharge Fittings	d) Plastic nozzle with metallic insert fitted to nozzle
	Construction valve	Squeeze grip type having matching threads of Neck ring.
	Neck Ring	Neck ring is welded to top of the body
	Siphon tube /Hose & Seal	To Be Provided

	FIRE EXISTINGUSER TROLLEY MOUNTED	
A	CAPACITY	4 .5 KG
3	Class of Fire	B,C & E
C	Fire Extinguisher Brand	a) Kabson Fire Fighter
	Fire Extinguisher to be manufactured	As per IS 15683 : 2018
	ů .	As per IS 2190 : 2010
D	Chemical Charge	
	Propellant	CO2
	Type of Drain Gas	Liquid
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CO2
	Discharge Range	6-to 8 Meter
	Usage / Application	Electrical
		- -
	+	Fire
E	Material Specification with construction Deta	ils
E	Siphon tube	CPVC /Aluminum Fitted with valve
E	Siphon tube Cylinder body	CPVC /Aluminum Fitted with valve Mild Steel
E	Siphon tube	CPVC /Aluminum Fitted with valve Mild Steel Trolley
Ē	Siphon tube Cylinder body Type of Mount	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted
E	Siphon tube Cylinder body Type of Mount Control valve	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red)
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve Dome & Dish	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex d) Plastic nozzle with metallic insert
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve Dome & Dish Discharge Fittings	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex d) Plastic nozzle with metallic insert fitted to nozzle
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve Dome & Dish	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex d) Plastic nozzle with metallic insert fitted to nozzle Squeeze grip type having matching
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve Dome & Dish Discharge Fittings Construction valve	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex d) Plastic nozzle with metallic insert fitted to nozzle Squeeze grip type having matching threads of Neck ring.
E	Siphon tube Cylinder body Type of Mount Control valve Control valve handle Control valve Dome & Dish Discharge Fittings	CPVC /Aluminum Fitted with valve Mild Steel Trolley Mounted Brass a) MS (Powder coated Black /Red) b) Brass ,Squeeze Grip Type c) Convex d) Plastic nozzle with metallic insert fitted to nozzle Squeeze grip type having matching

: BILL OF QUANTITIES:

:12: Seal & Signature of the contractor

TENDER FOR SUPPLY,INSTALLATION & SUPPLY OF ABC TYPE (STORE PRESSURE) FIRE EXSTINGWISHER **AND** BC & E TROLLEY TYPE FIRE EXISTINGWISHER IN VARIOUS BRANCH OFFICES AT PAN INDIA FOR GIC HOUSING FINANCE LTD.

Item	Description	Quote Rate (Rs.)	Rate in Words (Rs.)	Unit
1	Capacity : 2 Kg ABC TYPE (STORED PRESSURE) FIRE EXSTINGUISHER			NO
2	Capacity : 4 Kg ABC TYPE (STORED PRESSURE) FIRE EXSTINGWISHER			ОИ
3	Capacity: 4.5 Kg B C & E TYPE (STORED PRESSURE) FIRE EXISTINGUSER TROLLEY MOUNTED			NO

GST will be Extra

VIMP Note: Contractor is requested quote after verification of Attached Sheet of various Branch Offices of GIC Housing Ltd. at Pan India And Quoted Rate WHICH INCLUDE Transport & Toll charges, Local taxes, Excise duty OR other additional charges if any as applicable

No additional charges will be paid. This please be noted.